2023 Civic Hatchback

D1 bits Notabis, Fort parton, DNC, PMTCP 14-splorerKarey nove, givenNice givenNic	ENGINE	LX	SPORT-B	SPORT	SPORT TOURING
15-the, Baske, Deck Injection, DOILO, VTCP' annoonaged 4-symmet • 100 (0000) TRD (0000) <			0.0.0.1	0.011	
tomp:the granut granut programmer (C)tog granut were were that 3 pricetog granut were that 3 pricetog granut that 3 price that 3 price 	1.5-litre, 16-valve, Direct Injection, DOHC, VTEC® turbocharged 4-cylinder		•	•	•
Big Balance Instance and mark instance and	Horsepower @ rpm ¹	158 @ 6500	180 @ 6000	180 @ 6000	180 @ 6000
ministancing investingThe 3 bit 30This 3 bit 30 <td>Torque (lbft. @ rpm)¹</td> <td>_</td> <td>-</td> <td>-</td> <td>177 @ 1700-4500</td>	Torque (lbft. @ rpm) ¹	_	-	-	177 @ 1700-4500
Boom and the Rest is a state of the Rest is a state	Displacement (cc)	1996	1498	1498	1498
Company on the service10.31<	Emissions rating	Tier 3 Bin 30			
Dirk is grant in heating spatial <th< td=""><td>Bore and stroke (mm)</td><td>86 x 85.9</td><td>73 x 89.5</td><td>73 x 89.5</td><td>73 x 89.5</td></th<>	Bore and stroke (mm)	86 x 85.9	73 x 89.5	73 x 89.5	73 x 89.5
Scale Action • • • • • Biochemister Bioglam Regilam Regilam Regilam Discrementario Lo Scrementario • • Economication (control) Autilable • • • Economication (control) Autilable •	Compression ratio	10.8:1	10.3:1	10.3:1	10.3:1
Scale Action • • • • • Biochemister Bioglam Regilam Regilam Regilam Discrementario Lo Scrementario • • Economication (control) Autilable • • • Economication (control) Autilable •	Drive-by-Wire Throttle System™	•	•	•	•
Racomardour de la fiel marona sol de la fiel	Eco Assist™ system	•	•	•	•
DIMPETIANN LX SPORT 0 SPORT 000000000000000000000000000000000000	Idle-stop	•	•	•	•
Continuous (VT)	Recommended fuel	Regular	Regular	Regular	Regular
Continuous (VT)	DRIVETRAIN	_	-	-	_
Best per de manual transmision (n1)AvailableAvaila				010111	
CCON mode batton			•	•	• Available
Sport model · <td< td=""><td></td><td>Available</td><td></td><td></td><td>Available</td></td<>		Available			Available
Find whether during handle during h		•	•		O /T a alka
Stature PC CVT only CMMSSID CVT only CMMSSID CVT only CMMSSID CVT only CMMSSID CVT only Stature Stature Stature Stature CVT only Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature Stature			•		CVT only
CHASSIS SPORT <		•	•	•	• OV (Translas
16** - - 16** - - 16** - - 16** - - 16** - - 16** - - 16** - - 16** - - 16** - - 16** - - 16** - - 16*** - - - 16************************************	steering wheel-mounted paddle shifters		•	•	CVT only
16" Automunation ywheels (back) - - Agle Facading Assate" (AHA) - - Agle Standing Assate" (AHA) - - Agle Standing Assate" (AHA) - - Capless fielding system P25/AGR HS SMI P25/AGR HS VM P25/AGR HS VM FAT HS VM FA	CHASSIS	LX	SPORT-B	SPORT	SPORT TOURING
19 Januaria Januaria Verbasia 19 Januaria Januaria 19 Januaria Januaria 19 Januaria Januaria 19 Januaria Januaria 19 Januaria <	16" aluminum-alloy wheels	•			
Agle Branding Assatt ² (ArbA) • <td< td=""><td>18" aluminum-alloy wheels (black)</td><td></td><td>•</td><td>•</td><td></td></td<>	18" aluminum-alloy wheels (black)		•	•	
All eases P25/50 R18 9/M P255/60 R18 9/M </td <td>18" aluminum-alloy wheels (machined-tinted with black inserts)</td> <td></td> <td></td> <td></td> <td>•</td>	18" aluminum-alloy wheels (machined-tinted with black inserts)				•
Capies Subing System 1	Agile Handling Assist ² (AHA)	•	•	•	•
Variable Patric Power-Assited Rack-and-Philon Steering (EPS) • • • Electronic Parking Prior (Instrumental brack hand) 26.5/7.5 26.5/7.5 26.5/7.5 Electronic Parking Prior Assisted Machanda brack hand • • • Independent multi-link rar supernison • • • • Brear-assited System Visited Tear disc brakes • • • • • Straigh Driving Assit •	All-season tires	P215/55 R16 93H	P235/40 R18 91W	P235/40 R18 91W	P235/40 R18 91W
Liebtconic parking (Parking (Park) with automatic brake hold • • • • Drive and rear stationation tarks (point) 9.6 (P/TS. 9.6 (P/TS.) 1.6 (P/TS.) <	Capless fueling system	•	•	•	•
Front and rear stabilizer bars (mm) 26 S/17.5 36 S/17.5 <th< td=""><td>Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)</td><td>•</td><td>•</td><td>•</td><td>•</td></th<>	Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•
independent strut from suspension •	Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•
Independent multi-link resupposion 	Front and rear stabilizer bars (mm)	26.5/17.5	26.5/17.5	26.5/17.5	26.5/17.5
Prover assisted, ventilated front disc/solid rear disc brakes • • • • • Temporary spare tire T125/80 D16 97M T125/85 D16 99M T125/85 D1	Independent strut front suspension	•	•	•	•
Straight Driving Assist · · · · · · · · · · · · · · · · · · ·	Independent multi-link rear suspension	•	•	•	•
Temporary spare tire Tt25/85 D16 97M Tt25/85 D16 97M Tt25/85 D16 99M SPORT TOURING Auto high beam -	Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•
ACTUPE SAFETY LX SPORT B SPORT TOURING 4 "wheel Anti-lock braking System" (ABS) -	Straight Driving Assist	•	•	•	•
4-wheel Anti-lock Braking System ² (ABS) • • • Auto high beam • • • • Brake Assit •	Temporary spare tire	T125/80 D16 97M	T125/85 D16 99M	T125/85 D16 99M	T125/85 D16 99M
Auto hym • • • Brake Assist • • • Electronic Brake-Force Distribution (EBD) • • • Collision Mitigation Braking System ¹⁰ (KMS ¹) (HS ¹) • • • Forward Collision Warning (CWN) system ² (HS ¹) • • • • Hill Start Assist ² • •	ACTIVE SAFETY	LX	SPORT-B	SPORT	SPORT TOURING
Auto hym • • • Brake Assist • • • Electronic Brake-Force Distribution (EBD) • • • Collision Mitigation Braking System ¹⁰ (KMS ¹) (HS ¹) • • • Forward Collision Warning (CWN) system ² (HS ¹) • • • • Hill Start Assist ² • •	4-wheel Anti-lock Braking System ² (ABS)	•	•	•	•
Brake Assist Image Assist Image Assist		•	•	•	•
Electronic Brake-force Distribution (EBD) • • • Collision Mitigation Braking System" (MS*) • • • Forward Collision Warning (FCM) System" (MS*) • • • • HIL Start Assist • <td< td=""><td></td><td>•</td><td>•</td><td>•</td><td>•</td></td<>		•	•	•	•
Collision Midgation Eraking System ^{***} (CMBS*) (HS*) • • • Forward Collision Midgation Eraking System ^{***} (HS*) • • • Lane Departure Warning (LOW) system ^{***} (HS*) • • • • Road Departure Warning (LOW) system ^{***} (HS*) •		•	•	•	•
Forward Collision Warning (FCW) system ² (HS*) • • • Hill Start Assist ² • • • Bane Departure Warning (LDW) system ² (HS*) • • • Road Departure Mitigation (RDM) system ² (HS*) • • • Traffic sign recognition (HS*) • • • • Vehicle Stability Assist ¹ (VSA*) with Traction Control • • • • HS* - Feature is a component of the Honda Sensing* suite of safety and driver assist features. • • • • • PASSENCE SAFETY LX SPORT-B SPORT DOURING • <td></td> <td></td> <td>•</td> <td>•</td> <td>•</td>			•	•	•
Hill star Assist ⁴ I and Departure Mitgation (DRM) system ² (HS ⁴) I and Departure Mitgation (RDM) system ² (HS ⁴) SPORT		•	•	•	•
Lane Departure Warning (LDW) system" (HS*) Anad Departure Mitigation (RDM) system" (HS*) Anad Departure Mitigation (RDM) system" (HS*) Anad Departure Mitigation (RDM) system" (HS*) Arian Signation Control Arian Signation Advanced Compatibility Engineering"" (ACE") body structure Childproof rear door locks Arian System (front) Side airbags Arian System Ari			•	•	•
Road Departure Mitigation (RDM) system ² (HS*) • • • Traffic Sign recognition (HS*) with Traction Control • • • Ushicle Stability Assist ² (VSA*) with Traction Control • • • HS* - Feature is a component of the Honda Sensing* suite of safety and driver assist features. EX SPORT B SPORT TOURING PASSIVE SAFETY LX SPORT • SPORT • • <t< td=""><td></td><td>•</td><td>•</td><td>•</td><td>•</td></t<>		•	•	•	•
Traffic sign recognition (HS*) • • • • Vehicle Stability Assist (VSA*) with Traction Control • • • • NS* - Feature is a component of the Hond asensing* suite of safety and driver assist features. SPORT SPORT SPORT SPORT TOURING Next-Generation Advanced Compatibility Engineering** (ACE**) body structure •			•	•	•
Vehicle Stability Assist ² (VSA [®]) with Traction Control Hs [*] - Feature is a component of the Honda Sensing [®] suite of safety and driver assist features.••			•		•
HS* - Feature is a component of the Honda Sensing* suite of safety and driver assist features. LX SPORT-B SPORT TOURING PASSIVE SAFETY •			•	•	•
PASSIVE SAFETYLXSPORT-BSPORT TOURINGNext-Generation Advanced Compatibility Engineering" (ACE") body structure•••<					
Next-Generation Advanced Compatibility Engineering" (ACE") body structure • • • • Childproof rear door locks •			0000000	02022	
Childproof rear door locks•• <td></td> <td>LX</td> <td>SPORT-B</td> <td>SPORT</td> <td>SPORT TOURING</td>		LX	SPORT-B	SPORT	SPORT TOURING
Arba system (front) · · · · · · · · · · · · · · · · · · ·		•	•	•	•
Side curtain airbags with rollover sensor system••••Side airbags••• </td <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		•	•	•	•
Side airbags••• <th< td=""><td>Airbag system (front)</td><td>•</td><td>•</td><td>•</td><td>•</td></th<>	Airbag system (front)	•	•	•	•
Rear side airbags••• <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		•	•	•	•
Knee airbags, driver and front passenger • <td>5</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	5	•	•	•	•
Front height-adjustable seat belt anchors • </td <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		•	•	•	•
HondaLink** Assist Automatic Emergency Response System ^{23.4} • •	Knee airbags, driver and front passenger	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)•••••DRIVER ASSIST TECHNOLOGYLXSPORT-BSPORTSPORT TOURINGAdaptive Cruise Control (ACC) ² with Low-Speed Follow (HS*)CVT only•••CVT onlyAdaptive Cruise Control (ACC) ² (HS*)•••<		•	•	•	•
DRIVER ASSIST TECHNOLOGYLXSPORT-BSPORT OURINGAdaptive Cruise Control (ACC)2 with Low-Speed Follow (HS*)CVT only••CVT onlyAdaptive Cruise Control (ACC)2 (HS*)•••••Bind Spot Information (BS) system2••• </td <td>HondaLink™ Assist Automatic Emergency Response System^{2,3,4}</td> <td></td> <td></td> <td></td> <td>•</td>	HondaLink™ Assist Automatic Emergency Response System ^{2,3,4}				•
Adaptive Cruise Control (ACC) ² with Low-Speed Follow (HS*) CVT only • CVT only Adaptive Cruise Control (ACC) ² (HS*) • • • Blind Spot Information (BSI) system ² • • • Lane Keeping Assist System (LKAS) ² (HS*) • • • Low-speed braking control CVT only • • Rear Cross Traffic Monitor system ² • • • Traffic Jam Assist ² CVT only • CVT only	Lower Anchors and Tethers for Children (LATCH)	•	•	•	•
Adaptive Cruise Control (ACC) ² (HS*)	DRIVER ASSIST TECHNOLOGY	LX	SPORT-B	SPORT	SPORT TOURING
Adaptive Cruise Control (ACC) ² (HS*)					
Blind Spot Information (BSI) system ² • • • Lane Keeping Assist System (LKAS) ² (HS*) • • • Low-speed braking control CVT only CVT only Rear Cross Traffic Monitor system ² • • Traffic Jam Assist ² CVT only •		evi onty			e e e e e e e e e e e e e e e e e e e
Lane Keeping Assist System (LKAS) ² (HS*) • • • • Low-speed braking control CVT only Rear Cross Traffic Monitor system ² • • Traffic Jam Assist ² CVT only • CVT only		•			•
Low-speed braking control CVT only Rear Cross Traffic Monitor system ² Traffic Jam Assist ² CVT only • CVT only					•
Rear Cross Traffic Monitor system ² • Traffic Jam Assist ² CVT only •		·		•	CVT only
Traffic Jam Assist ² CVT only • • CVT only					CVTOIL
		OV/T only			CVT only
	Iramc Jam Assist* HS* = Feature is a component of the Honda Sensing [®] suite of safety and driver assist features.	CVTORLY	•	•	CVIONU

EXTERIOR	LX	SPORT-B	SPORT	SPORT TOURING
Duel exhaust finisher		•	•	•
Front splash guards	•	•	•	•
Heated power door mirrors	•			
LED daytime running lights			•	
LED fog lights	•	•	•	•
LED headlights (High and low beam)				•
Mirror-integrated LED turn signal indicators	-	•	•	•
One-touch power moonroof with tilt feature			•	
Intermittent windshield wipers	•	•	•	•
Speed-sensing, variable intermittent windshield wipers	-			
Rain-sensing windshield wipers		•	•	•
Rear wiper				•
COMFORT & CONVENIENCE	LX	SPORT-B	SPORT	SPORT TOURING
7" colour TFT centre meter display with Driver Information Interface	•	•	•	
10.2" colour TFT full digital driver meter display				•
Acoustic windshield	•	•	•	•
Aluminum-trimmed sport pedals		•	•	•
Auto-dimming rearview mirror				•
Automatic climate control with air-filtration system	•	Dual-zone	Dual-zone	Dual-zone
Body-coloured front and rear parking sensors				٠
Driver's and front passenger's vanity mirrors	•	Illuminated	Illuminated	Illuminated
Exterior temperature indicator	•	•	•	•
HomeLink [®] remote system ⁶				•
Immobilizer theft-deterrent system	•	•	•	•
Maintenance Minder™ system	•	•	•	•
Multi-angle rearview camera ² with dynamic guidelines	•	•	•	•
Passenger-side seatback pocket		•	•	•
Power windows with auto-up/down driver's and passenger's window	•	•	•	•
Proximity key entry system with pushbutton start	•	•	•	•
Rear armrest with cupholders	•	•	•	•
Rear-seat heater ducts	•	•	•	•
Remote engine starter	CVT only		•	CVT only
Security system	•		•	•
Tilt and telescopic steering column	•	•	•	•
Walk-away door lock	•	•	•	•
Wireless charging				•
SEATING & TRIM	LX	SPORT-B	SPORT	SPORT TOURING
	LA	JFUNT-D	SPORT	SPORT TOORING
60/40 split fold-down rear seatback	•	•	•	•
Driver's seat with 6-way manual adjustment	•	•	•	
Driver's seat with 8-way power adjustment				•
Front passenger's seat with 4-way manual adjustment	•	•	•	
Front passenger's seat with 4-way power adjustment				•
Fabric seats	•			
Black combi seats (synthetic leather/fabric)		•	•	
Heated front seats	•	•	•	•
Heated rear seats				•
Heated leather-wrapped steering wheel		•	•	•
Leather-trimmed seating surfaces				•
		CDODT D	CDODT	
ENTERTAINMENT	LX	SPORT-B	SPORT	SPORT TOURING
AM/FM audio system with 8 speakers	•	•	•	
BOSE® Premium Sound System with 12 speakers including subwoofer				•
Apple CarPlay ^{®2,3} /Android Auto ^{™2,3}	Wired	Wired	Wired	Wired/Wireless
Bluetooth® Streaming Audio ^{2,3}	•	•	•	•
7" colour touchscreen	•	•	•	
9" colour touchscreen				Including Navigation ²
HD Radio™ ⁷				•
lluminated steering wheel-mounted audio controls	•	•	•	•
Siri Eyes Free compatibility ^{2,3}	•	•	•	
SiriusXM ^{™2,8}				•
Speed-sensitive Volume Control (SVC)	•	•	•	٠
USB device connector ³	1	3	3	4

FUEL ECONOMY ⁹ (L/100 KM)	LX	SPORT-B	SPORT	SPORT TOURING
Continuously variable transmission (City/Hwy/Combined)	8.0/6.2/7.2	7.7/6.3/7.1	7.7/6.3/7.1	7.7/6.3/7.1
Manual transmission (City/Hwy/Combined)	9.1/6.6/8.0			8.5/6.3/7.5
DIMENSIONS	LX	SPORT-B	SPORT	SPORT TOURING
Cargo volume (L)	693	693	693	693
Curb weight (kg)	1322/1333	1361/1391	1391	1382/1412
Fuel tank capacity (L)	46	46	46	46
Ground clearance – no-load/full-load (mm)	134	134	134	134
Headroom – front/rear (mm)	998/942	956/942	956/942	956/942
Height (mm)	1415	1415	1415	1415
Hip room – front/rear (mm)	1380/1243	1380/1243	1380/1243	1380/1243
Legroom – front/rear (mm)	1074/950	1074/950	1074/950	1074/950
Length (mm) – with licence bracket/without licence bracket	4547/4529	4547/4529	4547/4529	4547/4529
Passenger volume (L)	2803	2735	2735	2735
Shoulder room – front/rear (mm)	1447/1422	1447/1422	1447/1422	1447/1422
Track – front/rear (mm)	1546/1575	1536/1565	1536/1565	1536/1565
Turning radius (m) (curb-to-curb)	11	11.6	11.6	11.6
Wheelbase (mm)	2735	2735	2735	2735
Width – including mirrors/mirrors folded (mm)	2081/1900	2081/1900	2081/1900	2081/1900

 Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
 None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless
it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

3. Only compatible with certain devices and operating systems. Operation may be dependent upon GPS satellite signal reception and available cellular data and/or voice connection. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. 4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception. 5. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states. 6. HomeLink* can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).

 7. Coverage varies by market.
 8. Only available in certain areas. Includes a no-charge trial of three months.
 9. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.