2023 Passport

ENGINE	SPORT	TRAILSPORT	TOURING
3.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC® V6	•	•	•
Horsepower @ rpm¹	280 @ 6000	280 @ 6000	280 @ 6000
Forque (lbft. @ rpm)¹	262 @ 4700	262 @ 4700	262 @ 4700
Displacement (cc)	3471	3471	3471
missions rating	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125
Bore and stroke (mm)	89 x 93	89 x 93	89 x 93
Compression ratio	11.5:1	11.5:1	11.5:1
Active Control Engine Mount (ACM) system	•	•	•
Eco Assist™ system	•	•	•
dle-stop	•	•	•
/ariable Cylinder Management® (VCM®)	•	•	•
Recommended fuel	Regular	Regular	Regular
DRIVETRAIN	SPORT	TRAILSPORT	TOURING
9-speed automatic transmission with Grade Logic Control	•	•	•
Steering wheel-mounted paddle shifters		•	
ECON mode button	•	•	•
Final drive ratio	4.33	4.33	4.33
	4.33	4.33	4.33
ntelligent Variable Torque Management (i-VTM4™) AWD system	•	•	•
ntelligent Traction Management System	*	* 1111 0000	***************************************
owing capacity ² (kg)	1588 or available 2268	1588 or available 2268	1588 or available 2268
BODY/SUSPENSION/CHASSIS	SPORT	TRAILSPORT	TOURING
8" aluminum-alloy wheels	•	•	
20" aluminum-alloy wheels			•
All-season tires	P245/60 R18 105H	P245/60 R18 105H	P265/45 R20 104H
Spare tire	T165/80 D17	T165/80 D17	T165/80 D17
Agile Handle Assist	•	•	•
Battery management system	•	•	•
Amplitude reactive dampers	•	•	
MacPherson strut front suspension	•	•	•
Aulti-link independent rear suspension	•	•	•
Electric power-assisted rack-and-pinion steering (EPS)			
Stabilizer bars – front/rear (mm)	25/26.5	25/26.5	25/26.5
Steering wheel turns, lock-to-lock	3.04	3.04	3.04
Power-assisted, ventilated front disc/solid rear disc brakes	•	3.04	3.04
		·	·
ACTIVE SAFETY	SPORT	TRAILSPORT	TOURING
1-wheel Anti-lock Braking System³ (ABS)	•	•	•
Brake Assist	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•
Collision Mitigation Braking System®³ (CMBS®) (HS*)	•	•	•
Forward Collision Warning³ (FCW) system (HS*)	•	•	•
_ane Departure Warning³ (LDW) system (HS*)	•	•	•
Road Departure Mitigation ³ (RDM) system (HS*)	•	•	•
Hill Start Assist ³		•	•
LED daytime running lights	•	•	•
Rear seat reminder ⁴		•	
Rear seatbelt reminder	•	•	•
Fire Pressure Monitoring System ⁵ (TPMS) with tire fill assist		•	
Frailer Stability Assist		•	•
/ehicle Stability Assist ³ (VSA*) with Traction Control	•	•	•
HS* = Feature is a component of the Honda Sensing® suite of safety and driver assist features.	•	•	•
ASSIVE SAFETY	SPORT	TRAILSPORT	TOURING
3-point rear seat belts	•	•	•
Front 3-point seat belts with automatic tensioning system	•	•	•
Childproof rear door locks	•	•	•
Advanced front airbag system	•	•	•
HondaLink™ Assist Automatic Emergency Response System ^{3,6,7}	•	•	•
ower Anchors and Tethers for Children (LATCH)	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•
martVent™ side airbags	•	•	•
side curtain airbags with rollover sensor system	•	•	•
DRIVER ASSIST TECHNOLOGY	SPORT	TRAILSPORT	TOURING
	SPURI	TRAILSPURT	TOURING
Adaptive Cruise Control ³ (ACC) (HS*)	•	•	•
Lane Keeping Assist System³ (LKAS) (HS*)	•	•	•
Auto high beam	•	•	•
11. 1			
Blind Spot Information³ (BSI) system Rear Cross Traffic Monitor³ system	•	•	•

EXTERIOR	SPORT	TRAILSPORT	TOURING
Body-coloured door handles	•	•	•
Heated power side mirrors	•	•	•
Auto-dimming power folding side mirrors			•
Dual exposed exhaust outlets	•	•	•
LED fog lights	•	•	•
Front and rear splash guards	•	•	•
Front wiper de-icer	•	•	•
Intermittent rear window wiper/washer	•	•	•
LED taillights	•	•	•
Memory-linked side mirrors with reverse gear tilt-down		•	•
Mirror-integrated LED turn signal indicators LED headlights with auto-on/off (Low beam)	•	•	•
Reflector high beam headlights with auto-on/off	•	:	•
One-touch power moonroof with tilt feature	•	•	•
Power tailgate		•	Hands-free access
Rain-sensing windshield wipers			•
Rear window defroster	•	•	•
Roof rails	•	•	•
Rear privacy-tinted glass	•	•	•
Variable intermittent windshield wipers	•	•	•
COMFORT & CONVENIENCE	CDODT	TRAUCRORT	TOURING
	SPORT 3	TRAILSPORT 3	TOURING 3
12-volt power outlets	3	3	3
115-volt power outlet Acoustic windshield		•	•
Acoustic windshield Acoustic glass (front doors)		•	•
Active Noise Cancellation (ANC)			•
Ambient lighting	•	Amber	With cupholder/door/footwell
Auto-dimming rearview mirror		•	•
Body-coloured front and rear parking sensors		•	•
Cargo area tie-down anchors (4)	•	•	•
7" colour TFT centre meter display with Driver Information Interface	•	•	•
Compass			Navi-based
Display Audio System³ with Honda Satellite-Linked Navigation System™3,8			•
and bilingual Voice Recognition			
Driver's and front passenger's seatback pockets	•	•	With device pocket
Illuminated driver's and front passenger's vanity mirrors	•	•	•
Electronic gear selector	•	•	•
Exterior temperature indicator HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ^{3,6}	•	•	•
with steering-wheel mounted controls	•	•	•
HomeLink® remote system9		•	•
Immobilizer theft-deterrent system	•	•	•
Floor mats	Carpet	Carpet	Carpet
Maintenance Minder™ system	•	•	•
Multi-angle rearview camera ³ with dynamic guidelines	•	•	•
One-touch turn signals	•	•	•
Power windows with auto-up/down driver and passenger window	•	•	•
Proximity key entry system with pushbutton start	•	•	•
Remote engine starter	•	•	•
Second-row folding centre armrest	•	•	•
Second-row heater ducts	•	•	•
Security system	•	•	•
Steering wheel-mounted controls (cruise control, audio, telephone, multi-information display)	•	•	•
Tilt and telescoping steering column	•	•	•
Tri-zone automatic climate control with air-filtration system Walk-away door lock	•	•	•
Wireless charging	·	•	•
SEATING & TRIM	SPORT	TRAILSPORT	TOURING
Driver's seat armrest	•	Adjustable	Adjustable
Passenger seat armrest	•	•	Adjustable
Driver's seat with 10-way power adjustment including power lumbar support	•	•	•
Driver's seat position memory Heated front seats	•	•	•
Heated second-row seats (outboard positions only)	•	•	•
Heated second-row seats (outdoard positions only) Heated leather-wrapped steering wheel	•	•	•
Leather-trimmed seating surfaces	•	TrailSport	•
Passenger's seat with 4-way manual adjustment	•	Παιιοροιτ	•
Passenger's seat with 4-way manual adjustment Passenger's seat with 4-way power adjustment	•		•
		•	•
Sliding and reclining 60/40 split-folding second-row seat			
Sliding and reclining 60/40 split-folding second-row seat Seating capacity	5	5	5

ENTERTAINMENT	SPORT	TRAILSPORT	TOURING
215-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 7 speakers including subwoofer	•	•	
550-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback capability and 10 speakers including subwoofer			•
Apple CarPlay ^{®3,6} / Android Auto™3,6	•	•	•
Display Audio System ³	•	•	•
HondaLink™ ^{3,6,10}	•	•	
HondaLink™ ^{3,6,10} Subscription Services			•
AT&T Wi-Fi hotspot ^{6,11}			•
Bluetooth® Streaming Audio ^{3,6}	•	•	•
CabinControl™ app ^{3,6}	•	•	•
MP3/auxiliary input jack	•	•	•
HD Radio™12		•	•
USB device connector ⁶	2	4	4
Siri Eyes Free compatibility ^{3,6}	•	•	•
SMS text message ^{3,6} /E-mail function ^{3,6}	•	•	•
SiriusXM ^{™13}		•	•
Wi-Fi tethering ⁶	•	•	•
FUEL ECONOMY ¹⁴ (L/100 KM)	SPORT	TRAILSPORT	TOURING
i-VTM4™ AWD (City/Hwy/Combined)	12.5/9.8/11.3	12.5/9.8/11.3	12.5/9.8/11.3
DIMENSIONS	SPORT	TRAILSPORT	TOURING
		02.2/0.4.0	
,, , , , , , , , , , , , , , , , , , , ,	21.1/24.6	21.1/24.6	21.1/24.6
Cargo volume behind front row (L)	21.1/24.6 2854	21.1/24.6 2854	21.1/24.6 2852
Cargo volume behind front row (L) Cargo volume behind 2nd row (L)	,	2854 1430	,
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg)	2854 1430 1897	2854 1430 1920	2852 1430 1938
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L)	2854 1430	2854 1430	2852 1430
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg)	2854 1430 1897 73.8 2450	2854 1430 1920 73.8 2450	2852 1430 1938 73.8 2450
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm)	2854 1430 1897 73.8 2450	2854 1430 1920 73.8 2450	2852 1430 1938 73.8 2450
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm)	2854 1430 1897 73.8 2450 193 1004/1017	2854 1430 1920 73.8 2450 193 1004/1017	2852 1430 1938 73.8 2450 193
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm)	2854 1430 1897 73.8 2450 193 1004/1017	2854 1430 1920 73.8 2450 193 1004/1017	2852 1430 1938 73.8 2450 193 1004/1017
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm) Hip room – front/2nd row (mm)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm) Hip room – front/2nd row (mm) Legroom – front/2nd row (mm)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm) Hip room – front/2nd row (mm) Legroom – front/2nd row (mm) Legroom – front/2nd row (mm)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm) Hip room – front/2nd row (mm) Legroom – front/2nd row (mm) Legroom – front/2nd row (mm) Length (mm) Passenger volume (L)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm) Hip room – front/2nd row (mm) Legroom – front/2nd row (mm) Legroom – front/2nd row (mm) Length (mm) Passenger volume (L) Shoulder room – front/2nd row (mm)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573
Legroom - front/2nd row (mm) Length (mm) Passenger volume (L) Shoulder room - front/2nd row (mm) Track - front/rear (mm)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1704 / 1704	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1704 / 1704	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1694/1694
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm) Hip room – front/2nd row (mm) Legroom – front/2nd row (mm) Length (mm) Passenger volume (L) Shoulder room – front/2nd row (mm) Track – front/rear (mm) Turning radius (m)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1704 / 1704 5.99	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1704 / 1704 5.99	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1694/1694 5.99
Cargo volume behind front row (L) Cargo volume behind 2nd row (L) Curb weight (kg) Fuel tank capacity (L) Gross vehicle weight rating (kg) Ground clearance (mm) Headroom – front/2nd row (mm) Height (mm) Hip room – front/2nd row (mm) Legroom – front/2nd row (mm) Legroom – front/2nd row (mm) Passenger volume (L) Shoulder room – front/2nd row (mm)	2854 1430 1897 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1704 / 1704	2854 1430 1920 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1704 / 1704	2852 1430 1938 73.8 2450 193 1004/1017 1835 1501/1456 1040/1005 4821 3254 1576/1573 1694/1694

- 1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
- 1. Housepower and urique Carculations reflect SAE fiet, Nev. 09/04, SAE 31545 procedures.

 2. Accessory towing package required. Packages are available at an additional cost as a dealer-installed item. See your Owner's Manual for proper towing operation.

 3. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features. unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
- 4. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
- 5. For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.
 6. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.
- 7. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
- 8. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
- 9. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).
 10. Subscription to HondaLink™ services is required. HondaLink™-equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink™ to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink™ information, please visit www.honda.ca/hondalink and www.honda.ca/privacy.
- 11. New vehicles are equipped with a complimentary time or data trial period, whichever comes first. After the trial period, contact AT&T or visit att.com/honda to purchase available data plans. 4G LTE connection speeds may vary by region.
- 12. Coverage varies by market.
- 13. Only available in certain areas. Includes a no-charge trial of three months.
- 14. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.